

## STONELLA COLLECTION

GLAZED VITRIFIED TILES

C LOURED B DY







ceramic blends with innovation, innovation in ceramic happens. COLORTILE specialises in the production of high-quality PORCELAIN & CERAMIC TILES for residential and commercial premises. We aim to bring architects dream to reality. As a leading tile manufacturer in India, COLORTILE specialises in PORCELAIN & CERAMIC TILES of the highest, international quality. For over a decade, COLORTILE has been an innovator in the manufacture of PORCELAIN & CERAMIC TILES, led by two simple objectives:

1.Raising the quality standards of the industry.2.Fully satisfying our ever-experimenting customers.

With 3 state-of-the-art manufacturing plants at Morbi, Gujarat, COLORTILE today has an annual installed production capacity of over 10 million sq. mtr. of tiles. Our production units are well-supported with a dedicated R&D centre that keeps us ahead of the curve.

#### Mission

We manufacture wall and floor tiles that rank high on quality and aesthetic value irrespective of the place where they are applied. We are the first choice of residential, commercial and public buildings for indoor and outdoor application. We forge long-term partnership with all our clients by providing them excellent service. We keep our ears close to the ground to satisfy the needs of an evolving market.

#### Vision


Always putting the high bars & wanted to achieve them with all the dynamism in design and latest technological investments to put COLORTILE a top notch brand in the tile world. We COLORTILE family promised ourselves to grow and maintain the quality forever.

# Inspiration




Inspiration from rustic architectural viewpoint that gives an aura of cement with magnificent 4 sizes & amazing 6 color pallet.

### Innovation







Smooth

Flow

#### **Application Areas**

Dark

Shadow



Desert

Palm





Dull

Birch

Hotel, Restaurant & Cafe



Steel

Grey





Mall & Super Market



Residential

Ice

Crystal

圙 School &

Chemical

Resistance







**Technical Specification** 



Long Durability





Resistance

Impact Resistance



Frost Resistance

Installation



Low Water Absorption



Dimensional Stability




Thermal Shock Resistance



Crazing Resistance







60x120cm

60x60cm







30x30cm

Stonella Ice Crystal Stonella Desert Palm Stonella Dull Birch

Sizes


60x120cm 60x60cm 30x60cm 30x30cm (Mosaic)
















#### Stonella Ice Crystal









60x60cm\*

10 Faces **30x60cm\*** 20 Faces



60x120cm

6 Faces 30x30cm\* Mosaic

#### **SAND FINISH**

GLAZED VITRIFIED TILES












\*All designs are available in 60x60cm, 30x60cm & 30x30cm(mosaic) size on special request with MOQ

#### Stonella Desert Palm







#### **SAND FINISH**












#### Stonella Dull Birch







#### SAND FINISH











Stonella Smooth Flow Stonella Steel Grey Stonella Dark Shadow

Sizes

60x120cm 60x60cm 30x60cm 30x30cm (Mosaic)

















#### Stonella Smooth Flow









60x60cm\*

10 Faces 30x60cm\* 20 Faces



60x120cm

6 Faces 30x30cm\* Mosaic

#### **SAND FINISH**











#### Stonella Steel Grey







#### **SAND FINISH**














#### Stonella Dark Shadow







### SAND FINISH

GLAZED VITRIFIED TILES











\*All designs are available in 60x60cm, 30x60cm & 30x30cm(mosaic) size on special request with MOQ

Colortile Quality Standards
Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group Bla (Eb ≤ 0.5%)

Technical Feature	Test	Require	ements	Colortile Values					
recnnical Feature	Method	%	mm	%	mm				
A. Dimensions and Surface Quality									
Length and Width	UNI EN ISO 10545-2	± 0.6%	± 2.0	± 0.20%	± 1.0				
Thickness		± 5.0%	± 0.5	± 5.00%	± 0.5				
Straightness of Sides		± 0.5%	± 1.5	± 0.20%	± 1.0				
Rectangularity		± 0.5%	± 2.0	± 0.20%	± 1.2				
Surface Flatness a) Centre curvature b) Edge curvature c) Warpage		± 0.5% ± 0.5% ± 0.5%	± 2.0 ± 2.0 ± 2.0	± 0.20% ± 0.20% ± 0.20%	± 1.0 ± 1.0 ± 1.0				
Surface Quality		from visible defects t	the tiles shall be free that would impair the major area of tiles.	Compliant					

#### B. Physical Properties

Water Absorption	UNI EN ISO 10545-3	Eb ≤ 0.5% Individual maximum : 0.6% (absorbed water mass)	Eb ≤ 0.1% (absorbed water mass)		
Breaking Strength		Min. 1300 N	≥ 1700 N		
UNI EN ISO 10545-4		Average minimum 35 N/mm² Individual minimum 32 N/mm²	≥ 37 N/mm²		
Frost Resistance	UNI EN ISO 10545-12	Required	Compliant		
Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°c	UNI EN ISO 10545-8	Required	6 x 10 <sup>-6</sup> K <sup>-1</sup> max		
Scratch Hardness (Mohs scale)	EN 101	Declared by the producer	3 to 6 Depends on Finish & Color		
Crazing Resistance UNI EN ISO 10545-		Declared by the producer	4 Cycle Pass		

#### C. Chemical Properties

Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3	5	
Resistance to Household Chemicals and Swimming Pool Salts		Minimum GB	GA	
Resistance to Low Concentrations of Acids and Alkalis	UNI EN ISO 10545-13	To be reported	GLA	
Resistance to High Concentrations of Acids and Alkalis		To be reported	GHA	

#### Standard Pallet Packing

Pallet Type	Size	Thickness	pcs / Box	m² / Box	kg / Box	Box / Pallet	m² / Pallet	Pallet Size
А	30x60cm	8.5mm	8 pcs	1.44 Sq m	28.0 kg	40	57.60 Sq m	925x1100mm
А	60x60cm	8.5mm	4 pcs	1.44 Sq m	28.5 kg	40	57.60 Sq m	925x1100mm
А	60x120cm	9.0mm	2 pcs	1.44 Sq m	31.0 kg	64	92.16 Sq m	1100x1100mm
В	60x120cm	9.0mm	2 pcs	1.44 Sq m	31.0 kg	23	33.12 Sq m	675x1200mm
С	60x120cm	9.0mm	2 pcs	1.44 Sq m	31.0 kg	28	40.32 Sq m	750x1200mm

#### Euro Pallet Packing

Pallet Type	Size	Thickness	pcs / Box	m² / Box	kg / Box	Box / Pallet	m² / Pallet	Pallet Size
А	30x60cm	8.5mm	8 pcs	1.44 Sq m	28.0 kg	36	51.84 Sq m	800x1200mm
А	60x60cm	8.5mm	4 pcs	1.44 Sq m	28.5 kg	36	51.84 Sq m	800x1200mm
А	60x120cm	9.0mm	2 pcs	1.44 Sq m	31.0 kg	54	77.76 Sq m	800x1200mm
В	60x120cm	9.0mm	2 pcs	1.44 Sq m	31.0 kg	30	43.20 Sq m	800x1200mm





#### Color Granito Pvt. Ltd.

At. Ratavirda Village, Sartanpar Road, Tal. Wankaner - 363 621, Dist. Morbi, Gujarat, INDIA

info@colortile.in | www.colortile.in

{ | O | ♥ | D